


WAFERLOCK MASTERKERFI

Electronic Cylinder System



No more heavy key chains and losing keys. It is secure and simple, one card for all the locks. Once the lock learns a Programming Card, user cards, any Mifare cards, can be easily programmed into or removed from the lock. The Passage Card provides a toggle mode on certain cards. When the lock reads the card with toggle mode, the lock will be always open until reading the card next time. Shadow Card provides the function of deleting the corresponding user card when the user card is lost. It would not require to delete all the cards and reprogram the others then. With easy to use feature & RF version, linking your lock with an alarm system is always an easy task.

Specification & Capacity:

Max User: 1000

Transponder: Mifare Classic

Passage Mode – Hægt að „taka úr lás“

Programming Card for multiple cylinders / locks

Programming Card to authorize user cards

Shadow Card to cancel a paired user card

Programming Card can be reset by Reset Tool

Device:

IP67 Electronic Cylinders – Þola íslenskt veðurfar

WCL-7100 Standalone Electronic Cylinder

Standalone Electronic handle locks

Programming Card – Til forritunar

Passage Card – Til að taka úr lás

User Card – Almennt kort

Shadow Card – Til að eyða týndu korti

Forritun korta einstaklega auðveld

Nýja (óforritaða) sílindra er hægt að opna með hvaða korti sem er

IP67 Electronic Cylinder

New generation waterproof electronic cylinders do not only comply with IP67 standard but also provide different locking solution for the markets. Euro profile EN1303 electronic cylinders are not the only choice, and all cylinders can work under one electronic locking system. Commercial, education, banking, hospital and other organization buildings, are suit to use with WAFERLOCK IP67 cylinders.



C-700

Electronic Locking Cylinder (IP67)

New generation IP67 waterproof electronic cylinder



C-700M

Half Electronic Cylinder (IP67)

New generation IP67 waterproof half electronic cylinder



C-700N

Double Electronic Cylinder (IP67)

New generation IP67 waterproof double electronic cylinder



C-300

ANSI Electronic Locking Cylinder (IP67)

Retrofit to ANSI cylinder



C-100

Japanese Cylinder (IP67)

Retrofit to Japanese Type A Lock



C-200

Pad Lock (IP67)

Retrofit to pad lock.



C-400

Scandinavian Cylinder (IP67)

Retrofit to Scandinavian lock



C-500

Swiss Profile Cylinder (IP67)
Retrofit to Swiss profile Lock



C-500M

Swiss Half Cylinder (IP67)
Retrofit to Swiss Profile



C-500N

Swiss Double Cylinder (IP67)
Retrofit to Swiss profile cylinder

EURO handle lock can be retrofitted into any standard European door. WAFERLOCK also provides ANSI electronic lock equipping ANSI grade 1 and UL fire rated heavy duty mortise lock. All electronic locks are capable for application such as airport, hospital, banking, hotel, commercial building, school campus, residential, and so on.



WEL-7000/7104/7300/7500

EURO handle lock can be retrofit into any standard European door. It is easy to install, classic looking, and highly secured lock. Euro handle lock is a e-Link Network capable device for application such as Airport, Hotel, Commercial Building, School campus...etc



WEL-7103

Euro Keypad Electronic Lock
2 in 1 lock. Access the lock by Keypad or by card.



WEL-3600

WEL-3600 Electronic Lock
Slim escutcheon design



WEL-3700

WEL-3700 Electronic Lock
2 in 1 lock. Access the lock by M-touch keypad, or by card.



WEL-3800

WEL-3800 Electronic Lock

3 in 1 touchpad lock, simple to use, no wire required to install, and easy to learn the interface.



WEL-3900

WEL-3900 4 in 1 Electronic Lock

Access the lock by Finger print & Transponder. The lock can be programmed up to 90 users. Best choice for rental apartment or residential use.



WEL-3000A

WEL-3000A Electronic Lock


One programming card, 90 users.

Kostnaður nóvember 2016

Síliner er á bilinu 40-45þús m/vsk

Kort er á bilinu 700-1100 m/vsk

WAFERLOCK HÓTELKERFI (að auki við ofantalið)



Hotel Property Management System (HPMS), can issue different type cards for each purpose, which is specially designed for hotel business access control. In order to manage a volume of hotel guests and hotel personnel, HPMS has distinguished and organized Hotel cards by its function such as guest cards, service cards, manager cards, set door no. cards, emergency cards, and so on. No matter if you are hotel receptionists or technicians, you will be able to learn the operation of this handy system easily in short period of time. API Interface to other hotel management system is also available for the PMS integration.

Feature

Offline system

Max Door: 1,500

Max User: 10,000 employees (No limit for guests)

Audit Trail: 504 events per device

Transponder: Mifare Classic S50

Construction mode

System backup

User account authorization

Pre-Check in schedule available

Office Hour Mode for passage door and public door

Check In / Out Report

Card log report

API available for PMS

Software Application

HPMS Hotel Property Management System



WCL-7000/7100/7300/7500

Electronic Cylinder

The Euro profile EN1301 electronic cylinder can be retrofit into any standard Euro standard door. Length can be chosen from 60mm~120mm max. It is an e-Link Network capable lock for your access control need.



WCL-7000M/7100M/7300M/7500M

Digital Half Cylinder

Half cylinder can be used in application such as electric box, one way exit door. Available size can be chosen from 40mm (30/10) ~70mm (60/10)



WCL-7000N/7100N/7300N/7500N

Digital Double Cylinder

Double cylinder can be used in application such as Passage Door, Public Door. Available size can be chosen from 60mm~120mm

The wall reader and controller work with all WAFERLOCK software systems. They can be used in main entrance, elevator, public doors, parking lot, and so on. It also acts as a hot-spot updating device for the networking system.



WR-1010/1310/1510

Wall Reader to be used with e-Link, HPMS or CPMS software. It can be used in main entrance, elevator, public doors, parking lot...etc. It also acts as a hot-spot updating device for e-Link system.



WR-1520

Vandal Proof Wall Reader (IP67)

IP 67 Waterproof wall reader



WR-2104/2500/2510

Wall controller that integrates sensor inputs, relays and wall readers. The e-Link networking version also acts as a communication bridge between PC and the end user. The online version is connected and transfer information through network infrastructure to PC, and can be worked as an offline controller if connection is lost from PC end.



WR-2000/2300

Compact Controller

Wall Controller to be used with CPMS and HPMS software.



RT-7XX0

System Programmer is a handheld device for Initializing locks, read/write data to lock. It is a communication bridge between PC and the lock.



RW-313

Hotel Energy Saver

Standard European Socket

Kostnaður nóvember 2016

Handfang ca.40-45 þús m/vsk

Forritari og hugbúnaður ca 200-210 þús m/vsk

Heildarverð á hurð í hóteli miðað við 40 herbergi er ca. 55-60 þús m/vsk

HPMS - Hotel Property Management System

The main purpose of the Hotel Property Management System (HPMS) is to setup and control Guest and Staff access to Bedrooms, Staff and Communal doors throughout your hotel. The system is used for quick and simple issuing of access cards for various types of usage including Guests, Managers, Cleaners and Temporary Access etc.

Software Specification & Capacity:

Easy to use check in and check out function

Immediate event treat back from System Programmer.

Easy buildings and rooms setup

System Backup ability.

Support different User Account Authorization setup.

User friendly interface.

Easy/convenient lock & programmer setup

System Requirement:

Windows 2000/XP/2003/Vista/7

Microsoft Internet Explorer 6.0 or later

CPU Intel Pentium 1.0GHz+ or AMD Athlon 1000+

256 MB RAM or more

100 MB free disk space

CD-ROM

At least 1024*768 screen solution

Free USB Port

Ethernet Card (for multi front-desk connection)

Screenshot:

